

# Carpio Range

*Exterior Recessed Lighting*



## Product Information

Carpio recessed wall lights are ideal for lighting wall perimeters for pathways and stairways.

This Range of recessed wall lights are available with cool white producing 70 lumens or blue LED's. (Please specify the colour LED after the product code).

Comes with a 2 year warranty for your peace of mind.

## Product Features

- 2 year warranty
- IP65
- Class II
- Available in 6000K and Blue LED
- CRI:80 in 6000K
- Non-dimmable
- Integral driver
- Loop in loop out facility

# Product Specification

| Product Code | Product Description                                   | Wattage (W) | CCT (K) | Lumens (lm) | Energy Efficiency Class | Protection Class |
|--------------|---|-------------|---------|-------------|-------------------------|------------------|
| KSR1296      | Carpio 1.4w LED Round Recessed Wall Wash Light Black  | 1.4         | BLUE    | N/A         | A                       | II               |
|              |   |             | 6000    | 70          |                         |                  |
| KSR1297      | Carpio 1.4w LED Square Recessed Wall Wash Light Black | 1.4         | BLUE    | N/A         | A                       | II               |
|              |   |             | 6000    | 70          |                         |                  |

|                           |                       |
|---------------------------|-----------------------|
| Nominal voltage           | 220~240VAC            |
| Operating frequency       | 50/60Hz               |
| Circuit Wattage           | 1.4w including losses |
| Circuit Current           | 0.045                 |
| Driver Current rating     | 150mA                 |
| PFC                       | 0.65                  |
| In Rush Current           | 0.1A Max Peak         |
| Ambient temperature range | -10°C~+30°C           |
| Start time                | < 0.5 sec             |
| IP rating                 | 65                    |

## Construction

|       |                |
|-------|----------------|
| Body: | Cast Aluminium |
| Rim:  | Aluminium      |

## Standards


BSEN60598-1:2015      Luminaires – Part 1: General requirements and tests

## In Conformity with


|      |  |
|------|--|
| LVD  | Low voltage directive 2014/35/EU                   |
| EMC  | Electromagnetic compatibility directive 2014/30/EU |
| ERP  | Energy related products directive 2009/125/EC      |
| RoHS | Restriction of hazardous substances 2011/65/EU     |

# Product Dimensions

## KSR1296



## KSR1297



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.